

I. Let C be the portion of the circle of radius 3 from $(3, 0)$ to $(0, 3)$, oriented counterclockwise.

(11)

1. Write a parameterization of C .

2. Evaluate $\int_C x\vec{v} \cdot d\vec{r}$, by direct calculation from the definition of $\int_C \vec{F} \cdot d\vec{r}$.

3. Evaluate $\int_C x\vec{v} \cdot d\vec{r}$, using the Fundamental Theorem for Line Integrals.

II. Suppose that \vec{F} is a vector field on a 3-dimensional domain. For each of the following, state whether the expression represents a scalar field (i. e. a function), a vector field, or is meaningless.

(6)


1. $\text{div}(\text{div}(\vec{F}))$
2. $\text{curl}(\text{curl}(\vec{F}))$
3. $\text{curl}(\text{div}(\vec{F}))$
4. $\text{div}(\text{curl}(\vec{F}))$

III. For the vector field $\vec{F} = \cos(x)\vec{i} + \sin(z)\vec{j} + \tan(y)\vec{k}$, calculate $\text{div}(\vec{F})$ and $\text{curl}(\vec{F})$.
(7)


IV. Use Green's Theorem to calculate $\int_C xy dx + x^2 dy$, where C consists of the line segment from $(-3, 0)$ to $(3, 0)$ and the top half of the circle $x^2 + y^2 = 9$. (Hint: $dA = r dr d\theta$.)
(7)

V. The coordinate systems below show the circles of radius $1/2$, 1 , and 2 centered at the origin. For each of (6) the following vector fields, sketch enough of the vectors on these circles to indicate what the vector field is like.

1. $x\vec{i} + y\vec{j}$



2. $-y\vec{i} + x\vec{j}$ (Hint: $(x\vec{i} + y\vec{j}) \cdot (-y\vec{i} + x\vec{j}) = 0$.)



- VI.** Let R be a region in the plane. Define what it means to say that R is *simply-connected*. Explain how the definition shows that the region given in polar coordinates by $1 < r < 2$ is not simply-connected.
- (6)

- VII.** The equations $x = a \sin(\phi) \cos(\theta)$, $y = a \sin(\phi) \sin(\theta)$, $z = a \cos(\phi)$ give a parametric representation of the sphere $x^2 + y^2 + z^2 = a^2$.
- (7)

1. Calculate r_θ .

2. On this picture of the sphere, label the lines where θ is constant, and those where ϕ is constant. Draw some of the vectors \vec{r}_ϕ and \vec{r}_θ , and also some of the vectors $\vec{r}_\phi \times \vec{r}_\theta$.

